

# SAINT-GOBAIN CONSTRUCTION PRODUCTS SA (PTY) LTD

## WEBER TYLON - BOQ



-2-

Item No		Quantity	Rate	Amount
	<b><u>BILL NO. [ ]</u></b>			
	<b><u>WEBER TILING FIXING</u></b>			
	<b><u>NOTE: Tenderers are advised to study the Model Preambles for Trades before pricing this Bill</u></b>			
	<b><u>SUPPLEMENTARY PREAMBLES</u></b>			
	Unless described as "fixed with adhesive to plaster (plaster elsewhere)" description of tiling on brick or concrete walls, columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions to tiling on concrete floors etc shall be deemed to include 1:3 plaster bedding			
	Tiling described as "fixed with adhesive on power floated concrete" shall be deemed to include for approved tiling key-coat			
	Ceramic, porcelain, marble and granite tiles are to be fixed and grouted with suitable adhesives and grouts products as recommended by the manufacturer of the tiles			
	1. Method for tiling for floor should be in accordance to the Manufacturers recommendations.			
	2. In external, wet and high trafficked areas apply Weber Tylon Bond-it			
	3. Surface preparation Weber Tylon Plaskey and Weber Tylon Key-it for slurry is specially formulated to provide excellent water resistance and all purpose surface preparation for tiling.			
	4. Ensure surface is clean, dry, sound and free of dust and other contaminants - as per the manufacturers instruction			
	5. If the grout is required to be chemically resistant, use Weber Epoxy easy			
	6. Allow up to 8mm grout joints when tiling onto existing timber flooring to compensate for deflection			
	<b>Carried Forward</b>		R	<b>Not Priced</b>
	Bill No. 2 Tile Fixing (Weber Tylon)			

<b>Brought Forward</b>		R	<b>Not Priced</b>
7. Movement when tiling directly onto slabs; allowance for movement is imperative to allow for deflection of substrate			
8. Minimum grouting joints for walls is 2 mm and 3 mm for floors.			
9. Number of movement joints required is dependent on tile joint width and type of substrate			
10. Movement joint at 3000mm centers in both directions and along perimeter			
11. All movement joints and removable panels in access flooring to extend through tiling layout			
<b><u>FLOOR TILING</u></b>			
<u>Full bodied Ceramic floor tile size up to 600 x 600mm x _____ mm, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon WB11 Ceramic tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>			
1	On floors and landings m2		<b>Not Priced</b>
2	Extra over for tile movement joints in both directions; at maximum 4m centres to internal floors m2		<b>Not Priced</b>
3	Extra over for tile movement joints in both directions; at 3m centres to external/suspended floors, m2		<b>Not Priced</b>
4	On ramps m2		<b>Not Priced</b>
5	On narrow widths not exceeding 300mm wide m2		<b>Not Priced</b>
6	Skirting size _____ mm high m2		<b>Not Priced</b>
7	Treads, risers and copings m2		<b>Not Priced</b>
<b>Carried Forward</b>		R	<b>Not Priced</b>
Bill No. 2 Tile Fixing (Weber Tylon)			

Brought Forward			R	Not Priced
<u>Full bodied Ceramic (Hardbody Ceramic) floor tile greater than size 600 x 600mm x _____ mm, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon RAPID - 12 Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied Ceramic (Hardbody Ceramic) floor tile greater than size 600 x 600mm x _____ mm, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon QUICKSET- 6 Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied Ceramic (Hardbody Ceramic) floor tile greater than size 600 x 600mm x _____ mm, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon ULTRA - FLEX Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
8	On floors and landings	m2		Not Priced
9	Extra over for tile movement joints in both directions; at maximum 4m centres to internal floors	m2		Not Priced
10	Extra over for tile movement joints in both directions; at 3m centres to external/suspended floors	m2		Not Priced
11	On ramps	m2		Not Priced
12	On narrow widths not exceeding 300mm wide	m2		Not Priced
13	Skirting size _____ mm high	m2		Not Priced
14	Treads, risers and copings	m2		Not Priced
Carried Forward			R	Not Priced
Bill No. 2 Tile Fixing (Weber Tylon)				

Brought Forward		R	Not Priced
<u>Full bodied Clay floor tile size up to 600 x 600mm x _____ mm, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon WB16 Ceramic &amp; Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>			
On floors and landings	m2		Not Priced
Extra over for tile movement joints in both directions; at maximum 4m centres to internal floors	m2		Not Priced
Extra over for tile movement joints in both directions; at 3m centres to external/suspended floors,	m2		Not Priced
On ramps	m2		Not Priced
On narrow widths not exceeding 300mm wide	m2		Not Priced
Skirting size _____mm high	m2		Not Priced
Treads, risers and copings	m2		Not Priced
<u>Full bodied porcelain floor tile size up to 600 x 600 x _____ mm and greater, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon RAPID - 12 Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>			
or			
<u>Full bodied porcelain floor tile size up to 600 x 600 x _____ mm and greater, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon QUICKSET - 6 Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>			
or			
Carried Forward		R	Not Priced
Bill No. 2 Tile Fixing (Weber Tylon)			

Brought Forward			R	Not Priced
<u>Full bodied porcelain floor tile size up to 600 x 600 x _____ mm and greater, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon ULTRA - FLEX Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied porcelain floor tile size up to 600 x 600 x _____ mm and greater, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including WEBER WHITE multipurpose marble &amp; natural stone tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
22	On floors and landings	m2		Not Priced
23	Extra over for tile movement joints in both directions; at maximum 4m centres to internal floors	m2		Not Priced
24	Extra over for tile movement joints in both directions; at 3m centres to external/suspended floors,	m2		Not Priced
25	On ramps	m2		Not Priced
26	On narrow widths not exceeding 300mm wide	m2		Not Priced
27	Skirting size _____ mm high	m2		Not Priced
28	Treads, risers and copings	m2		Not Priced
<u>Full bodied porcelain floor tile size of 800 x 800 x _____ mm (Large Format tiles) and greater, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon RAPID - 12 Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
Carried Forward			R	Not Priced
Bill No. 2 Tile Fixing (Weber Tylon)				

Brought Forward			R	Not Priced
<u>Full bodied porcelain floor tile size of 800 x 800 x _____ mm (Large Format tiles) and greater, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon QUICKSET - 6 Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied porcelain floor tile size of 800 x 800 x _____ mm (Large Format tiles) and greater, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon ULTRA - FLEX Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
29	On floors and landings	m2		Not Priced
30	Extra over for tile movement joints in both directions; at maximum 4m centres to internal floors	m2		Not Priced
31	Extra over for tile movement joints in both directions; at 3m centres to external/suspended floors	m2		Not Priced
32	On ramps	m2		Not Priced
33	On narrow widths not exceeding 300mm wide	m2		Not Priced
34	Skirting size _____ mm high	m2		Not Priced
35	Treads, risers and copings	m2		Not Priced
<u>Full bodied porcelain floor tile with underfloor heating, size of 800 x 800 x _____ mm (Large Format tiles) and greater, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon ULTRA - FLEX Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
36	On floors and landings	m2		Not Priced
Carried Forward			R	Not Priced
Bill No. 2 Tile Fixing (Weber Tylon)				



<b>Brought Forward</b>			<b>R</b>	<b>Not Priced</b>
37	Extra over for tile movement joints in both directions; at maximum 4m centres to internal floors	m2		<b>Not Priced</b>
38	Extra over for tile movement joints in both directions; at 3m centres to external/suspended floors	m		<b>Not Priced</b>
39	On ramps	m2		<b>Not Priced</b>
40	On narrow widths not exceeding 300mm wide	m2		<b>Not Priced</b>
41	Skirting size _____mm high	m2		<b>Not Priced</b>
42	Treads, risers and copings	m2		<b>Not Priced</b>
<u>Full bodied porcelain floor tile size of 800 x 800 x _____mm (Large Format tiles) and greater, non slip finish, fixed to Timber floors with and including Weber Tylon ULTRA - FLEX Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied porcelain floor tile size of 800 x 800 x _____mm (Large Format tiles) and greater, non slip finish, fixed to Timber floors with and including Weber Tylon RENOVATE - GREY tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
43	On floors and landings	m2		<b>Not Priced</b>
44	Extra over for tile movement joints in both directions; at maximum 4m centres to internal floors	m2		<b>Not Priced</b>
45	Extra over for tile movement joints in both directions; at 3m centres to external/suspended floors	m2		<b>Not Priced</b>
46	On ramps	m2		<b>Not Priced</b>
47	On narrow widths not exceeding 300mm wide	m2		<b>Not Priced</b>
48	Skirting size _____mm high	m2		<b>Not Priced</b>
49	Treads, risers and copings	m2		<b>Not Priced</b>
<b>Carried Forward</b>			<b>R</b>	<b>Not Priced</b>
Bill No. 2 Tile Fixing (Weber Tylon)				

<b>Brought Forward</b>			<b>R</b>	<b>Not Priced</b>
<u>Full bodied Natural stone floor tile size of 1200 x 600mm x _____ mm, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon RAPID - 12 Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied Natural stone floor tile size of 1200 x 600mm x _____ mm, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon QUICKSET - 6 Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied Natural stone floor tile size of 1200 x 600mm x _____ mm, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including Weber Tylon ULTRA - FLEX Porcelain tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied Natural stone floor tile size of 1200 x 600mm x _____ mm, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including WEBER WHITE multipurpose marble and natural stone tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
50	On floors and landings	m2		<b>Not Priced</b>
51	Extra over for tile movement joints in both directions; at maximum 4m centres to internal floors	m2		<b>Not Priced</b>
52	Extra over for tile movement joints in both directions; at 3m centres to external/suspended floors	m2		<b>Not Priced</b>
<b>Carried Forward</b>			<b>R</b>	<b>Not Priced</b>
Bill No. 2 Tile Fixing (Weber Tylon)				

<b>Brought Forward</b>			<b>R</b>	<b>Not Priced</b>
53	On ramps	m2		<b>Not Priced</b>
54	On narrow widths not exceeding 300mm wide	m2		<b>Not Priced</b>
55	Skirting size _____ mm high	m2		<b>Not Priced</b>
56	Treads, risers and copings	m2		<b>Not Priced</b>
	<u>Full bodied crystalline Marble tiles, coarse crystalline natural stones, polished Porcelain and Ceramic floor tile size up to 600 x 600 x _____ mm, fixed to existing ceramic, porcelain, marble and crystalline tile substrates with and including Weber Tylon RENOVATE GREY tile adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>			
57	On floors and landings	m2		<b>Not Priced</b>
58	Extra over for tile movement joints in both directions; at maximum 4m centres to internal floors	m2		<b>Not Priced</b>
59	Extra over for tile movement joints in both directions; at 3m centres to external/suspended floors	m2		<b>Not Priced</b>
60	On ramps	m2		<b>Not Priced</b>
61	On narrow widths not exceeding 300mm wide	m2		<b>Not Priced</b>
62	Skirting size _____ mm high	m2		<b>Not Priced</b>
63	Treads, risers and copings	m2		<b>Not Priced</b>
	<u>Full bodied crystalline Marble tiles, coarse crystalline natural stones, polished Porcelain and Ceramic floor tile greater than size 600 x 600 x _____ mm, fixed to existing ceramic, porcelain, marble and crystalline tile substrates with and including Weber Tylon RENOVATE GREY adhesive with 3mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>			
64	On floors and landings	m2		<b>Not Priced</b>
65	Extra over for tile movement joints in both directions; at maximum 4m centres to internal floors	m2		<b>Not Priced</b>
66	Extra over for tile movement joints in both directions; at 3m centres to external/suspended floors	m2		<b>Not Priced</b>
<b>Carried Forward</b>			<b>R</b>	<b>Not Priced</b>
Bill No. 2 Tile Fixing (Weber Tylon)				

<b>Brought Forward</b>			R	Not Priced
67	On ramps	m2		Not Priced
68	On narrow widths not exceeding 300mm wide	m2		Not Priced
69	Skirting size _____mm high	m2		Not Priced
70	Treads, risers, and copings	m2		Not Priced
	<u>Full bodied Mosaic floor tiles lay on and fixed with Weber Tylon MOSAIC - FIX, non slip finish, fixed to wood floated 1:4 cement and sand screed, (elsewhere measured) and concrete surfaces, with and including with 3mm joints continuous in both directions grouted with Weber Tylon MOSAIC - FIX.</u>			
71	On floors and landings	m2		Not Priced
72	Extra over for tile movement joints in both directions; at maximum 4m centres to internal floors	m2		Not Priced
73	Extra over for tile movement joints in both directions; at 3m centres to external/suspended floors	m2		Not Priced
74	On ramps	m2		Not Priced
75	On narrow widths not exceeding 300mm wide	m2		Not Priced
76	Skirting size _____mm high	m2		Not Priced
77	Treads, risers, and copings	m2		Not Priced
	<b><u>WALL TILING</u></b>			
	<u>Full bodied Ceramic floor wall size up to 600 x 600mm x _____mm, non slip finish, fixed to cement plaster (plaster elsewhere), and concrete surfaces, with and including Weber Tylon WB11 Ceramic tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>			
78	On Walls	m2		Not Priced
79	On circular walls exceeding 300mm radius	m2		Not Priced
80	On circular walls not exceeding 300mm radius	m2		Not Priced
81	On narrow widths not exceeding 300mm wide	m2		Not Priced
	<b>Carried Forward</b>			
	Bill No. 2		R	Not Priced
	Tile Fixing (Weber Tylon)			

Brought Forward			R	Not Priced
82	On walls in isolated panels and splashbacks	m2		Not Priced
83	On projecting and isolated columns	m2		Not Priced
84	On piers	m2		Not Priced
85	On sills not exceeding 200mm wide with bullnose tiles laid flat	m		Not Priced
86	Fair exposed cutting and fitting around rectangular handrail, baluster, etc not exceeding 300mm girth	No		Not Priced
87	Fair exposed cutting and fitting around pipe not exceeding 100mm external diameter	No		Not Priced
88	Fair exposed cutting and fitting around pipe exceeding 100mm and not exceeding 150mm external diameter	No		Not Priced
<u>Full bodied Ceramic (Hardbody Ceramic) wall tile greater than size 600 x 600mm x _____ mm, non slip finish, fixed to cement plaster ( plaster elsewhere), and concrete surfaces with and including Weber Tylon RAPID - 12 Porcelain tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied Ceramic (Hardbody Ceramic) wall tile greater than size 600 x 600mm x _____ mm, non slip finish, fixed to cement plaster ( plaster elsewhere), and concrete surfaces with and including Weber Tylon QUICKSET - 6 Porcelain tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
Carried Forward			R	Not Priced
Bill No. 2 Tile Fixing (Weber Tylon)				

<b>Brought Forward</b>			<b>R</b>	<b>Not Priced</b>
<u>Full bodied Ceramic (Hardbody Ceramic) wall tile greater than size 600 x 600mm x _____ mm, non slip finish, fixed to cement plaster ( plaster elsewhere), and concrete surfaces with and including Weber Tylon ULTRA - FLEX Porcelain tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
89	On Walls	m2		<b>Not Priced</b>
90	On circular walls exceeding 300mm radius	m2		<b>Not Priced</b>
91	On circular walls not exceeding 300mm radius	m2		<b>Not Priced</b>
92	On narrow widths not exceeding 300mm wide	m2		<b>Not Priced</b>
93	On walls in isolated panels and splashbacks	m2		<b>Not Priced</b>
94	On projecting and isolated columns	m2		<b>Not Priced</b>
95	On piers	m2		<b>Not Priced</b>
96	On sills not exceeding 200mm wide with bullnose tiles laid flat	m		<b>Not Priced</b>
97	Fair exposed cutting and fitting around rectangular handrail, baluster,etc not exceeding 300mm girth	No		<b>Not Priced</b>
98	Fair exposed cutting and fitting around pipe not exceeding 100mm external diameter	No		<b>Not Priced</b>
99	Fair exposed cutting and fitting around pipe exceeding 100mm and not exceeding 150mm external diameter	No		<b>Not Priced</b>
<u>Full bodied Clay wall tile size up to 600 x 600mm x _____ mm, non slip finish, fixed to cement plaster (plaster elsewhere), and concrete surfaces, with and including Weber Tylon WB16 Ceramic &amp; Porcelain tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
100	On Walls	m2		<b>Not Priced</b>
101	On circular walls exceeding 300mm radius	m2		<b>Not Priced</b>
<b>Carried Forward</b>			<b>R</b>	<b>Not Priced</b>
Bill No. 2 Tile Fixing (Weber Tylon)				

Brought Forward			R	Not Priced
102	On circular walls not exceeding 300mm radius	m2		Not Priced
103	On narrow widths not exceeding 300mm wide	m2		Not Priced
104	On walls in isolated panels and splashbacks	m2		Not Priced
105	On projecting and isolated columns	m2		Not Priced
106	On piers	m2		Not Priced
107	On sills not exceeding 200mm wide with bullnose tiles laid flat	m		Not Priced
108	Fair exposed cutting and fitting around rectangular handrail, baluster,etc not exceeding 300mm girth	No		Not Priced
109	Fair exposed cutting and fitting around pipe not exceeding 100mm external diameter	No		Not Priced
110	Fair exposed cutting and fitting around pipe exceeding 100mm and not exceeding 150mm external diameter	No		Not Priced
<u>Full bodied porcelain wall tile size up to 600 x 600 x _____ mm and greater, non slip finish, fixed to cement plaster (plaster elsewhere), and concrete surfaces, with and including Weber Tylon RAPID - 12 Porcelain tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied porcelain wall tile size up to 600 x 600 x _____ mm and greater, non slip finish, fixed to cement plaster (plaster elsewhere), and concrete surfaces, with and including Weber Tylon QUICKSET - 6 Porcelain tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
Carried Forward			R	Not Priced
Bill No. 2 Tile Fixing (Weber Tylon)				

Brought Forward			R	Not Priced
<u>Full bodied porcelain wall tile size up to 600 x 600 x</u> <u>mm and greater, non slip finish, fixed to cement</u> <u>plaster (plaster elsewhere), and concrete surfaces, with</u> <u>and including Weber Tylon ULTRA - FLEX Porcelain tile</u> <u>adhesive with 2mm joints continuous in both directions</u> <u>grouted with Weber Tylon Tile Grout.</u>				
111	On Walls	m2		Not Priced
112	On circular walls exceeding 300mm radius	m2		Not Priced
113	On circular walls not exceeding 300mm radius	m2		Not Priced
114	On narrow widths not exceeding 300mm wide	m2		Not Priced
115	On walls in isolated panels and splashbacks	m2		Not Priced
116	On projecting and isolated columns	m2		Not Priced
117	On piers	m2		Not Priced
118	On sills not exceeding 200mm wide with bullnose tiles laid flat	m		Not Priced
119	Fair exposed cutting and fitting around rectangular handrail, baluster, etc not exceeding 300mm girth	No		Not Priced
120	Fair exposed cutting and fitting around pipe not exceeding 100mm external diameter	No		Not Priced
121	Fair exposed cutting and fitting around pipe exceeding 100mm and not exceeding 150mm external diameter	No		Not Priced
<u>Full bodied porcelain wall tile size of 800 x 800 x</u> <u>mm (Large Format tiles) and greater, non slip</u> <u>finish, fixed to cement plaster (plaster elsewhere), and</u> <u>concrete surfaces, with and including Weber Tylon</u> <u>RAPID - 12 Porcelain tile adhesive with 2mm joints</u> <u>continuous in both directions grouted with Weber Tylon</u> <u>Tile Grout.</u>				
or				
Carried Forward			R	Not Priced
Bill No. 2 Tile Fixing (Weber Tylon)				



<b>Brought Forward</b>			<b>R</b>	<b>Not Priced</b>
<u>Full bodied porcelain wall tile size of 800 x 800 x _____ mm (Large Format tiles) and greater, non slip finish, fixed to cement plaster (plaster elsewhere), and concrete surfaces, with and including Weber Tylon QUICKSET - 6 Porcelain tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied porcelain wall tile size of 800 x 800 x _____ mm (Large Format tiles) and greater, non slip finish, fixed to cement plaster (plaster elsewhere), and concrete surfaces, with and including Weber Tylon ULTRA - FLEX Porcelain tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
122	On Walls	m2		<b>Not Priced</b>
123	On circular walls exceeding 300mm radius	m2		<b>Not Priced</b>
124	On circular walls not exceeding 300mm radius	m2		<b>Not Priced</b>
125	On narrow widths not exceeding 300mm wide	m2		<b>Not Priced</b>
126	On walls in isolated panels and splashbacks	m2		<b>Not Priced</b>
127	On projecting and isolated columns	m2		<b>Not Priced</b>
128	On piers	m2		<b>Not Priced</b>
129	On sills not exceeding 200mm wide with bullnose tiles laid flat	m		<b>Not Priced</b>
130	Fair exposed cutting and fitting around rectangular handrail, baluster,etc not exceeding 300mm girth	No		<b>Not Priced</b>
131	Fair exposed cutting and fitting around pipe not exceeding 100mm external diameter	No		<b>Not Priced</b>
132	Fair exposed cutting and fitting around pipe exceeding 100mm and not exceeding 150mm external diameter	No		<b>Not Priced</b>
<b>Carried Forward</b>			<b>R</b>	<b>Not Priced</b>
Bill No. 2 Tile Fixing (Weber Tylon)				

<b>Brought Forward</b>			<b>R</b>	<b>Not Priced</b>
<u>Full bodied Natural stone wall tile size of 1200 x 600 x _____ mm, non slip finish, fixed to cement plaster (plaster elsewhere), and concrete surfaces, with and including Weber Tylon RAPID - 12 Porcelain tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied Natural stone wall tile size of 1200 x 600 x _____ mm, non slip finish, fixed to cement plaster (plaster elsewhere), and concrete surfaces, with and including Weber Tylon QUICKSET - 6 Porcelain tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied Natural stone wall tile size of 1200 x 600 x _____ mm, non slip finish, fixed to cement plaster (plaster elsewhere), and concrete surfaces, with and including Weber Tylon ULTRA - FLEX Porcelain tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
or				
<u>Full bodied Natural stone wall tile size of 1200 x 600 x _____ mm, non slip finish, fixed to cement plaster (plaster elsewhere), and concrete surfaces, with and including WEBER WHITE multipurpose marble &amp; natural stone tile adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
133	On Walls	m2		<b>Not Priced</b>
134	On circular walls exceeding 300mm radius	m		<b>Not Priced</b>
135	On circular walls not exceeding 300mm radius	m2		<b>Not Priced</b>
136	On narrow widths not exceeding 300mm wide	m2		<b>Not Priced</b>
137	On walls in isolated panels and splashbacks	m2		<b>Not Priced</b>
138	On projecting and isolated columns	m2		<b>Not Priced</b>
<b>Carried Forward</b>			<b>R</b>	<b>Not Priced</b>
Bill No. 2 Tile Fixing (Weber Tylon)				

<b>Brought Forward</b>			R	Not Priced
139	On piers	m2		Not Priced
140	On sills not exceeding 200mm wide with bullnose tiles laid flat	m		Not Priced
141	Fair exposed cutting and fitting around rectangular handrail, baluster,etc not exceeding 300mm girth	No		Not Priced
142	Fair exposed cutting and fitting around pipe not exceeding 100mm external diameter	No		Not Priced
143	Fair exposed cutting and fitting around pipe exceeding 100mm and not exceeding 150mm external diameter	No		Not Priced
<u>Full bodied crystalline Marble tiles, coarse crystalline natural stones, polished Porcelain and Ceramic wall tile size up to 600 x 600 x _____ mm, fixed to existing ceramic, porcelain, marble and crystalline tile substrates with and including Weber Tylon RENOVATE GREY adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
144	On Walls	m2		Not Priced
145	On circular walls exceeding 300mm radius	m2		Not Priced
146	On circular walls not exceeding 300mm radius	m2		Not Priced
147	On narrow widths not exceeding 300mm wide	m2		Not Priced
148	On walls in isolated panels and splashbacks	m2		Not Priced
149	On projecting and isolated columns	m2		Not Priced
150	On piers	m2		Not Priced
151	On sills not exceeding 200mm wide with bullnose tiles laid flat	m		Not Priced
152	Fair exposed cutting and fitting around rectangular handrail, baluster,etc not exceeding 300mm girth	No		Not Priced
153	Fair exposed cutting and fitting around pipe not exceeding 100mm external diameter	No		Not Priced
154	Fair exposed cutting and fitting around pipe exceeding 100mm and not exceeding 150mm external diameter	No		Not Priced
<b>Carried Forward</b>			R	Not Priced
Bill No. 2 Tile Fixing (Weber Tylon)				

Brought Forward			R	Not Priced
<u>Full bodied crystalline Marble tiles, coarse crystalline natural stones, polished Porcelain and Ceramic wall tile greater than size 600 x 600 x        mm, fixed to existing ceramic, porcelain, marble and crystalline tile substrates with and including Weber Tylon RENOVATE GREY adhesive with 2mm joints continuous in both directions grouted with Weber Tylon Tile Grout.</u>				
155	On Walls	m2		Not Priced
156	On circular walls exceeding 300mm radius	m2		Not Priced
157	On circular walls not exceeding 300mm radius	m2		Not Priced
158	On narrow widths not exceeding 300mm wide	m2		Not Priced
159	On walls in isolated panels and splashbacks	m2		Not Priced
160	On projecting and isolated columns	m2		Not Priced
161	On piers	m2		Not Priced
162	On sills not exceeding 200mm wide with bullnose tiles laid flat	m		Not Priced
163	Fair exposed cutting and fitting around rectangular handrail, baluster,etc not exceeding 300mm girth	No		Not Priced
164	Fair exposed cutting and fitting around pipe not exceeding 100mm external diameter	No		Not Priced
165	Fair exposed cutting and fitting around pipe exceeding 100mm and not exceeding 150mm external diameter	No		Not Priced
<u>Full bodied Mosaic floor tiles lay on and fixed with Weber Tylon MOSAIC - FIX, non slip finish, fixed to cement plaster (plaster elsewhere), and concrete surfaces, with and including with 2mm joints continuous in both directions grouted with Weber Tylon MOSAIC - FIX.</u>				
166	On Walls	m2		Not Priced
167	On circular walls exceeding 300mm radius	m2		Not Priced
168	On circular walls not exceeding 300mm radius	m2		Not Priced
Carried Forward			R	Not Priced
Bill No. 2 Tile Fixing (Weber Tylon)				

<b>Brought Forward</b>			<b>R</b>	<b>Not Priced</b>
169	On narrow widths not exceeding 300mm wide	m2		<b>Not Priced</b>
170	On walls in isolated panels and splashbacks	m2		<b>Not Priced</b>
171	On projecting and isolated columns	m2		<b>Not Priced</b>
172	On piers	m2		<b>Not Priced</b>
173	On sills not exceeding 200mm wide with bullnose tiles laid flat	m		<b>Not Priced</b>
174	Fair exposed cutting and fitting around rectangular handrail, baluster, etc not exceeding 300mm girth	No		<b>Not Priced</b>
175	Fair exposed cutting and fitting around pipe not exceeding 100mm external diameter	No		<b>Not Priced</b>
176	Fair exposed cutting and fitting around pipe exceeding 100mm and not exceeding 150mm external diameter	No		<b>Not Priced</b>
<b>Carried to Summary</b>			<b>R</b>	<b>Not Priced</b>
Bill No. 2 Tile Fixing (Weber Tylon)				

FINAL SUMMARY

Bill No		Page No	Amount
1	PRELIMINARIES	2	Not Priced
2	Tile Fixing (Weber Tylon)	21	Not Priced
Carried to Form of Tender			R Not Priced